

REFERENCES HARMONIZED
BMJ Consensus Guidelines Sept 2020
BMJ Multisystem Comorbidities in RTT Sept 2020
to
RSO Primary Care Guidelines 2019

GENETICS – 17, 18, 22

GROWTH, DEVELOPMENT AND NUTRITION – 3, 9, 13, 48, 50, 52, 56-58, 60-62, 73, 75

GASTROENTEROLOGY – 1, 57, 59, 62

RESPIRATORY – 23, 38, 44, 74

NEUROLOGY – 19, 24, 25, 30, 32, 76, 79, 80

CARDIOVASCULAR – 5, 7, 27, 28, 37, 53, 72

SKIN – 31

ORTHOPEDICS/REHABILITATION – 3, 10, 11, 14, 15, 21, 31, 33, 34, 41, 52, 55, 56, 61, 65, 68, 78

ENDOCRINOLOGY/GYNECOLOGY – 39, 70

UROLOGY – 69, 83

PSYCHOLOGICAL/BEHAVIORAL – 49, 71

SLEEP – 2, 85

PAIN – 1, 12, 20, 57, 59

SCREENING: OPHTHALMOLOGY – 3, 48

SCREENING: AUDITORY – 67

SCREENING: DENTAL – 45, 81

EDUCATION/THERAPIES – 3, 9, 13

SOCIAL CONCERNS – 40, 46, 47, 54

HOSPITALIZATION CONCERNS – 7, 23, 35, 37, 43, 53, 74, 81

ALTERNATIVE MEDICATIONS

References

1. Baikie G, Ravikumara M, Downs J, et al. Gastrointestinal dysmotility in Rett syndrome. *J Pediatr Gastroenterol Nutr* 2014;58:244–51.
2. Boban S, Leonard H, Wong K, et al. Sleep disturbances in Rett syndrome: impact and management including use of sleep hygiene practices. *Am J Med Genet A* 2018;176:1569–77.
3. Cass H, Reilly S, Owen L, et al. Findings from a multidisciplinary clinical case series of females with Rett syndrome. *Dev Med Child Neurol* 2003;45:325–37.

4. Chahrour M and Zoghbi HY. The story of Rett syndrome: from clinic to neurobiology. *Neuron* 2007; 56(3): 422-437.
5. Clark BC, Kopp A, Morey W, et al. Serial follow-up of corrected QT interval in Rett syndrome. *Dev Med Child Neurol* 2020;62:833–6.
6. Council on Children with Disabilities and Medical Home Implementation Project Advisory Committee. Patient- and family centered care coordination: a framework for integrating care for children and youth across multiple systems. *Pediatrics* 2014;133(5): e1451-1460.
7. Crosson J, Srivastava S, Bibat GM, et al. Evaluation of QTc in Rett syndrome: correlation with age, severity, and genotype. *Am J Med Genet A* 2017;173:1495–501.
8. Cuddapah VA, Pillai RB, Shekar KV, Lane JB, et al. Methyl-CpG-binding protein 2 (MECP2) mutation type is associated with disease severity in Rett syndrome. *J Med.Genet* 2014;51(3): 152-158.
9. Didden R, Korzilius H, Smeets E, et al. Communication in individuals with Rett syndrome: an assessment of forms and functions. *J Dev Phys Disabil* 2010;22:105–18.
10. Downs J, Bebbington A, Woodhead H, et al. Early determinants of fractures in Rett syndrome. *Pediatrics* 2008;121:540–6.
11. Downs J, Bergman A, Carter P, et al. Guidelines for management of scoliosis in Rett syndrome patients based on expert consensus and clinical evidence. *Spine* 2009;34:E607–17.
12. Downs J, Geranton SM, Bebbington A, et al. Linking MeCP2 and pain sensitivity: the example of Rett syndrome. *Am J Med Genet A* 2010;152A:1197–205.
13. Downs J, Rodger J, Li C, et al. Environmental enrichment intervention for Rett syndrome: an individually randomised stepped wedge trial. *Orphanet J Rare Dis* 2018;13:3.
14. Downs J, Torode I, Wong K, et al. Surgical fusion of early onset severe scoliosis increases survival in Rett syndrome: a cohort study. *Dev Med Child Neurol* 2016;58:632–8.
15. Downs J, Torode I, Wong K, et al. The natural history of scoliosis in females with Rett syndrome. *Spine* 2016;41:856–63.
16. Downs J, Young D, K. N. de, Bebbington A, et al. Impact of scoliosis surgery on activities of daily living in females with Rett syndrome. *J Pediatr Orthop* 2009;29(4): 369-374.
17. Erlandson A, Samuelsson L, Hagberg B, et al. Multiplex ligation-dependent probe amplification (MLPA) detects large deletions in the MECP2 gene of Swedish Rett syndrome patients. *Genet Test* 2003;7:329–32.
18. Fehr S, Bebbington A, Nassar N, et al. Trends in the diagnosis of Rett syndrome in Australia. *Pediatr Res* 2011;70:313–9.
19. FitzGerald PM, Jankovic J, Percy AK. Rett syndrome and associated movement disorders. *Mov Disord* 1990;5:195–202.
20. Freilinger M, Böhm M, Lanator I, et al. Prevalence, clinical investigation, and management of gallbladder disease in Rett syndrome. *Dev Med Child Neurol* 2014;56:756–62.
21. Freundlich K. Pressure injuries in medically complex children: a review. *Children* 2017;4:25.
22. Gill H, Cheadle JP, Maynard J, et al. Mutation analysis in the MECP2 gene and genetic counselling for Rett syndrome. *J Med Genet* 2003;40:380–4.
23. Glaze DG, Frost JD, Zoghbi HY, et al. Rett's syndrome: characterization of respiratory patterns and sleep. *Ann Neurol* 1987;21:377–82.
24. Glaze DG, Percy AK, Skinner S, et al. Epilepsy and the natural history of Rett syndrome. *Neurology* 2010;74:909–12.
25. Glaze DG, Schultz RJ, Frost JD. Rett syndrome: characterization of seizures versus non-seizures. *Electroencephalogr Clin Neurophysiol* 1998;106:79–83.
26. Gökben S, Ardiç Ülkü Akyol, Serdaroğlu G. Use of buspirone and fluoxetine for breathing problems in Rett syndrome. *Pediatr Neurol* 2012;46:192–4.
27. Hagberg B, Aicardi J, Dias K, et al. A progressive syndrome of autism, dementia, ataxia, and loss of purposeful hand use in girls: Rett's syndrome: report of 35 cases. *Ann Neurol* 1983;14:471–9.
28. Hagberg B. Clinical manifestations and stages of Rett syndrome. *Ment Retard Dev Disabil Res Rev* 2002;8:61–5.
29. Halbach, N., E. Smeets, C. Steinbusch, M. Maaskant, W. D. van and L. Curfs. Aging in Rett syndrome: a longitudinal study. *Clin.Genet.* 2012
30. Henriksen MW, Breck H, von Tetzchner S, et al. Epilepsy in classic Rett syndrome: course and characteristics in adult age. *Epilepsy Res* 2018;145:134–9.
31. Hirano D, Taniguchi T. Skin injuries and joint contractures of the upper extremities in Rett syndrome. *J Intellect Disabil Res* 2018;62:53–9.

32. Humphreys P, Barrowman N. The incidence and evolution of parkinsonian rigidity in Rett syndrome: a pilot study. *Can J Neurol Sci* 2016;43:567–73.
33. Jefferson A, Leonard H, Siafarikas A, et al. Clinical guidelines for management of bone health in Rett syndrome based on expert consensus and available evidence. *PLoS One* 2016;11:e0146824.
34. Jefferson AL, Woodhead HJ, Fyfe S, et al. Bone mineral content and density in Rett syndrome and their contributing factors. *Pediatr Res* 2011;69:293–8.
35. Kako H, Martin DP, Cartabuke R, et al. Perioperative management of a patient with Rett syndrome. *Int J Clin Exp Med* 2013;6:393–403.
36. Katz, DM, Bird A, Coenraads M, et al. Rett Syndrome: Crossing the Threshold to Clinical Translation. *Trends Neurosci* 2016;39(2): 100-113.
37. Kerr AM, Armstrong DD, Prescott RJ, et al. Rett syndrome: analysis of deaths in the British survey. *Eur Child Adolesc Psychiatry* 1997;6 Suppl 1:71–4.
38. Kerr AM, Julu POO. Recent insights into hyperventilation from the study of Rett syndrome. *Arch Dis Child* 1999;80:384–7.
39. Killian JT, Lane JB, Cutter GR, et al. Pubertal development in Rett syndrome deviates from typical females. *Pediatr Neurol* 2014;51:769–75.
40. Killian JT, Lane JB, Lee H-S, et al. Caretaker quality of life in Rett syndrome: disorder features and psychological predictors. *Pediatr Neurol* 2016;58:67–74.
41. Killian JT, Lane JB, Lee H-S, et al. Scoliosis in Rett syndrome: progression, comorbidities, and predictors. *Pediatr Neurol* 2017;70:20–5.
42. Kirby, R. S., J. B. Lane, J. Childers, S. A. Skinner, F. Annese, J. O. Barrish, D. G. Glaze, P. Macleod and A. K. Percy (2010). “Longevity in Rett syndrome: analysis of the North American Database.” *J Pediatr* 156(1): 135-138 e131.
43. Konarzewski WH, Misso S. Rett syndrome and delayed recovery from anaesthesia. *Anaesthesia* 1994;49:357.
44. Krajnc N. Severe respiratory dysrhythmia in Rett syndrome treated with topiramate. *J Child Neurol* 2014;29:NP118–21.
45. Lai YYL, Wong K, King NM, et al. Oral health experiences of individuals with Rett syndrome: a retrospective study. *BMC Oral Health* 2018;18:195.
46. Lane JB, Lee H-S, Smith LW, et al. Clinical severity and quality of life in children and adolescents with Rett syndrome. *Neurology* 2011;77:1812–8.
47. Lane JB, Salter AR, Jones NE, et al. Assessment of caregiver inventory for Rett syndrome. *J Autism Dev Disord* 2017;47:1102–12.
48. LeBlanc JJ, DeGregorio G, Centofante E, et al. Visual evoked potentials detect cortical processing deficits in Rett syndrome. *Ann Neurol* 2015;78:775–86.
49. Lenn NJ, Olsho LW, Turk WR, et al. Auditory processing deficit in a patient with Rett syndrome. *Am J Med Genet* 1986;25:153–6.
50. Leonard H, Ravikumara M, Baikie G, et al. Assessment and management of nutrition and growth in Rett syndrome. *J Pediatr Gastroenterol Nutr* 2013;57:451–60.
51. Lombardi, L. M., S. A. Baker and H. Y. Zoghbi (2015). “MECP2 disorders: from the clinic to mice and back.” *J Clin Invest* 125(8): 2914-2923. Lotan, M. (2006). “Rett syndrome. Guidelines for individual intervention.” *ScientificWorldJournal* 6: 1504-1516.
52. Marchand V, Motil KJ, NCo N, NASPGHAN Committee on Nutrition. Nutrition support for neurologically impaired children: a clinical report of the North American Society for pediatric gastroenterology, hepatology, and nutrition. *J Pediatr Gastroenterol Nutr* 2006;43:123–35.
53. McCauley MD, Wang T, Mike E, et al. Pathogenesis of lethal cardiac arrhythmias in MeCP2 mutant mice: implication for therapy in Rett syndrome. *Sci Transl Med* 2011;3:113ra25.
54. Mori Y, Downs J, Wong K, et al. Longitudinal effects of caregiving on parental well-being: the example of Rett syndrome, a severe neurological disorder. *Eur Child Adolesc Psychiatry* 2019;28:505–20.
55. Motil KJ, Barrish JO, Lane J, et al. Vitamin D deficiency is prevalent in girls and women with Rett syndrome. *J Pediatr Gastroenterol Nutr* 2011;53:569–74.
56. Motil KJ, Barrish JO, Neul JL, et al. Low bone mineral mass is associated with decreased bone formation and diet in girls with Rett syndrome. *J Pediatr Gastroenterol Nutr* 2014;59:386–92.
57. Motil KJ, Caeg E, Barrish JO, et al. Gastrointestinal and nutritional problems occur frequently throughout life in girls and women with Rett syndrome. *J Pediatr Gastroenterol Nutr* 2012;55:292–8.

58. Motil KJ, Ellis KJ, Barrish JO, et al. Bone mineral content and bone mineral density are lower in older than in younger females with Rett syndrome. *Pediatr Res* 2008;64:435–9.
59. Motil KJ, Lane JB, Barrish JO, et al. Biliary tract disease in girls and young women with Rett syndrome. *J Pediatr Gastroenterol Nutr* 2019;68:799–805.
60. Motil KJ, Morrissey M, Caeg E, et al. Gastrostomy placement improves height and weight gain in girls with Rett syndrome. *J Pediatr Gastroenterol Nutr* 2009;49:237–42.
61. Motil KJ, Schultz RJ, Abrams S, et al. Fractional calcium absorption is increased in girls with Rett syndrome. *J Pediatr Gastroenterol Nutr* 2006;42:419–26.
62. Motil KJ, Schultz RJ, Browning K, et al. Oropharyngeal dysfunction and gastroesophageal dysmotility are present in girls and women with Rett syndrome. *J Pediatr Gastroenterol Nutr* 1999;29:31–7.
63. Neul, J. L. (2012). "The relationship of Rett syndrome and MECP2 disorders to autism." *Dialogues Clin Neurosci* 14(3): 253-262.
64. Neul, J. L., J. B. Lane, H. S. Lee, S. Geerts, J. O. Barrish, F. Annese, L. M. Baggett, K. Barnes, S. A. Skinner, K. J. Motil, D. G. Glaze, W. E. Kaufmann and A. K. Percy (2014). "Developmental delay in Rett syndrome: data from the natural history study." *J Neurodev Disord* 6(1): 20.
65. Percy AK, Lee H-S, Neul JL, et al. Profiling scoliosis in Rett syndrome. *Pediatr Res* 2010;67:435–9.
66. Percy, A. K., J. L. Neul, D. G. Glaze, K. J. Motil, S. A. Skinner, O. Khwaja, H. S. Lee, J. B. Lane, J. O. Barrish, F. Annese, L. McNair, J. Graham and K. Barnes (2010). "Rett syndrome diagnostic criteria: lessons from the Natural History Study." *Ann.Neurol.* 68(6): 951-955.
67. Pillion JP, Rawool VW, Bibat G, et al. Prevalence of hearing loss in Rett syndrome. *Dev Med Child Neurol* 2003;45:338–43.
68. Ross AC, Taylor CL, Yaktine AL, eds. *Dietary reference intakes for calcium and vitamin D*. Washington, DC, 2011.
69. Roth JD, Pariser JJ, Stout TE, et al. Presentation and management patterns of lower urinary tract symptoms in adults due to rare inherited neuromuscular diseases. *Urology* 2020;135:165–70.
70. Stagi S, Cavalli L, Congiu L, et al. Thyroid function in Rett syndrome. *Horm Res Paediatr* 2015;83:118–25.
71. Stauder JEA, Smeets EEJ, van Mil SGM, et al. The development of visual- and auditory processing in Rett syndrome: an Erp study. *Brain Dev* 2006;28:487–94.
72. Symons FJ, Byiers B, Hoch J, et al. Infrared thermal analysis and individual differences in skin temperature asymmetry in Rett syndrome. *Pediatr Neurol* 2015;53:169–72.
73. Tarquinio DC, Hou W, Neul JL, et al. Age of diagnosis in Rett syndrome: patterns of recognition among diagnosticians and risk factors for late diagnosis. *Pediatr Neurol* 2015;52:585–91.
74. Tarquinio DC, Hou W, Neul JL, et al. The course of awake breathing disturbances across the lifespan in Rett syndrome. *Brain and Development* 2018;40:515–29.
75. Tarquinio DC, Motil KJ, Hou W, et al. Growth failure and outcome in Rett syndrome: specific growth references. *Neurology* 2012;79:1653–61.
76. Tarquinio, DC, Hou W, Berg A, Kaufmann WE, et al. Longitudinal course of epilepsy in Rett syndrome and related disorders. *Brain* 2017;140(2): 306-318.
77. Tarquinio, DC, Hou W, Neul JL, et al. The Changing Face of Survival in Rett Syndrome and MECP2-Related Disorders. *Pediatr Neurol* 2015;53(5):402-411.
78. Tay G, Graham H, Graham HK, et al. Hip displacement and scoliosis in Rett syndrome - screening is required. *Dev Med Child Neurol* 2010;52:93–8.
79. Temudo T, Oliveira P, Santos M, et al. Stereotypies in Rett syndrome: analysis of 83 patients with and without detected MeCP2 mutations. *Neurology* 2007;68:1183–7.
80. Temudo T, Ramos E, Dias K, et al. Movement disorders in Rett syndrome: an analysis of 60 patients with detected MeCP2 mutation and correlation with mutation type. *Mov Disord* 2008;23:1384–90.
81. Tofil NM, Buckmaster MA, Winkler MK, et al. Deep sedation with propofol in patients with Rett syndrome. *J Child Neurol* 2006;21:857–60.
82. Van Esch H, Bauters M, Ignatius J, et al. Duplication of the MECP2 region is a frequent cause of severe mental retardation and progressive neurological symptoms in males. *Am J Hum Genet* 2005;77(3):442-453.
83. Ward CS, Huang T-W, Herrera JA, et al. Loss of MeCP2 causes urological dysfunction and contributes to death by kidney failure in mouse models of Rett syndrome. *PLoS One* 2016;11:e0165550.
84. Weese-Mayer DE, Lieske SP, Boothby CM, et al. Autonomic nervous system dysregulation: breathing and heart rate perturbation during wakefulness in young girls with Rett syndrome. *Pediatr Res* 2006;60(4):443-449.

85. Wong K, Leonard H, Jacoby P, et al. The trajectories of sleep disturbances in Rett syndrome. *J Sleep Res* 2015;24:223–33.